

## PU CLEANER (gun grade & hand held)



### CLEANER FOR REMOVING FRESH POLYURETHANE FOAM AND ADHESIVES

#### FEATURES AND AREA OF APPLICATION

- CLEANER is used to remove fresh polyurethane foam and adhesives.
- It serves both for cleaning the gun and for manual cleaning of instruments, place of work, etc.
- It is transparent and soluble in water.
- Removes grease, oils, tar, waxes, adhesive residues, and fresh sealants, degreases iron, steel, chromium, aluminium, anodised aluminium, unvarnished wood and marble [stone].
- Hardened foam can be removed from the gun and other surfaces only mechanically.
- Do not clean the gun with sharp objects.

#### USAGE INSTRUCTIONS

For manual cleaning, use the attached spray cap, which is mounted on the spray adapter. The outflow of the cleaner is initiated by pressing the cap. Saturate a linen cloth or colourless paper in the cleaner and clean the surface. Repeat with a clean cloth. For gun cleaning screw the can with the adapter onto the gun. Carefully pull the trigger of the gun to remove any foam residues from the gun. Once the cleaner starts to come out, release the trigger. Leave the cleaner to work inside the gun for 1 – 2 minutes. Pull the trigger again and hold it until a clean cleaner starts to come out. Repeat the procedure 2–3 times each time the gun is cleaned. CAUTION! The cleaner may cause damage to lacquered or painted surfaces, textiles, and plastics.

#### PACKAGING

500 ml aerosol can

#### STORAGE

36 months (from +5°C to +25°C), even at lower temperatures (e.g. transport) for shorter periods.

#### HEALTH, SAFETY, HANDLING AND DISPOSAL INFORMATION

Additional safety information, safe handling instructions, information on personal protective equipment, and disposal information can be found in the safety data sheet. Safety data sheet available on request. You can also obtain a copy from your TTK sales representative.

## **WARNING**

The information given is based on our tests and practical experience. However, due to specific conditions and working methods we recommend preliminary tests for each case of use.



FEICA is the Association of the European Adhesive and Sealant Industry and is a multinational association representing the European Adhesive and Sealant Industry. All Feica standards for PU foam are available on:  
<http://www.feica.eu/our-industry/pu-foam-ocf/ocf-test-methods.aspx>

**TKK** TKK d. o. o. · Srpenica 1, 5224 Srpenica, Slovenia  
+386 [0] 5 38 41 300 | [info@tkk-group.com](mailto:info@tkk-group.com) | [www.tkk-group.com](http://www.tkk-group.com)